


Partition and protect. Now more than ever, our shared spaces should be safe—free from contagions, concerns and anything that gets in the way of interacting. This collection of acrylic tabletop screens provides the protection and peace of mind you need to socialize with confidence.









TRANSACTION WITHOUT PASSTHROUGH







#### **COMPONENT LIST**

## Transaction With Passthrough:

- Screen Panel (1)
- Foot (2)

## Transaction Without Passthrough:

- Screen Panel (1)
- Foot (2)

#### 2-Person Café:

- Screen Panel (1)
- Foot (2)

#### 4-Person Café:

• Screen Panel (2)


#### Tri-Fold Meeting:

• Screen Panel (1)


## **COMPONENTS**

# TRANSACTION WITH PASSTHROUGH


Note: Do not remove the protective film from the acrylic until the screen is put into service.



# TRANSACTION WITHOUT PASSTHROUGH




#### 2-PERSON CAFÉ




## ALTERNATE BASE TYPES

(For transaction and 2-person café screens)




#### TRIFOLD MEETING




#### **4-PERSON CAFÉ**


Feet



# TRANSACTION WITH OR WITHOUT PASSTHROUGH AND 2-PERSON CAFÉ




2



## **STEPS**

- 1. Lay screen panel on the edge of a firm, flat surface. Insert feet into the slots at the bottom of the screen panel.
- 2. Stand screen upright on desired surface, resting it on its feet. Ensure complete screen assembly rests flat on the surface.




## **STEPS**

- 1. Hold one panel vertically with the center slot facing upwards. Insert second screen panel with the center slot facing down.
- 2. Ensure assembly forms a perpendicular "+" shape with the first panel. The complete screen assembly should rest flat on desired surface.

#### 1 TRI-FOLD MEETING



2



## **STEPS**

- 1. Place screen panel assembly onto a firm, flat surface.
- 2. Unfold outer panels into position, forming 45–90 degree corners with the center panel. Ensure complete screen assembly rests flat on desired surface.